

vilo

Slat panel Fronto SV(P) 06

May 2025



Fronto lamella panels are an ingenious solution for façades and ceilings. Thanks to the modern profile shape and specially designed joints, we have succeeded in creating an original, three-dimensional panel that can be used in a variety of ways. The panels are robust and resistant to changing weather conditions. Once installed, they will serve you for years without the need for maintenance.



Esthetics

- the colour and structure perfectly imitate wood;
- panels with dark joints for more contrast and an additional depth effect;
- modern look, thanks to narrow slats;
- vertical and horizontal installation possible;
- Fronto panels can be installed as soffit;
- the wide range of woodgrain colours will fit in with many facade designs;
- Fronto lamellas emphasise and enhance selected parts of the façade, such as terraces, balconies or outbuildings.



Maintenance free

- resistant to mechanical damage,
- resistant to pests
- completely waterproof - does not soak, does not swell, does not require sealing,
- weatherproof,
- durable solution without the need for additional maintenance or painting



Easy installation

- the CLICK lock ensures that the panels are joined correctly, so that the panel stays in place and is easy to fix to the substructure.
- the large coverage area of the panels allows the façade to be quickly covered,
- the matching finishing trims speed up installation,
- flexible, lightweight material that is easy to cut and fit,
- no special tools are required to install the panels




Functionality

- the ideal covering for thermal insulation,
- properly installed lamella panels ensure adequate ventilation of the facade,
- lightweight panels do not weigh down the façade,
- are suitable as a durable and aesthetically pleasing covering for walls, vestibules, terraces, garages, and extensions.



Modern solutions

1. The **hurricane proof lock** ensures better adhesion of the panels to the façade and eliminates the noise the panels make in high winds.
2. The **Click lock** allows the panels to be joined quickly and securely, making installation easier.
3. Mounting holes speed up installation.
4. The **self-cleaning structure** reduces the build-up of dirt and dust, making it easier to keep the façade clean.



Standard Collection



Oak



Honey Oak



Oak Winchester



Golden Oak



Walnut



V-Black Collection

The decors in the V-Black collection have dark printed grooves, which allows for greater contrast with the wood grain print on the lamella and a more three-dimensional effect.



V-Black Collection



Oak V-Black



Golden Oak V-Black



Walnut V-Black



Light Oak V-Black



Uniform colours



Buttercream



Light Olive



Anthracite Grey



Fronto Anthracite Grey

- The Fronto panel in Anthracite Gray complements the offer with uniform colors. More will appear in the coming months.
- The color is similar to RAL 7016, but not identical, due to the specificity of the production process.
- Anthracite Gray panels can be installed in shaded places as a ceiling lining.
- Do not use them in places, where direct sun operates!



Technical information

Slat panel SV(P) 06



Dimensions and Logistics

- Panel type: slat panels
- Length: $116 \frac{9}{64}$
- Width (usable): $9 \frac{13}{16}$
- Width (total): $11 \frac{9}{64}$
- Number of pcs. in the package: 4 pcs. (premium) /10 pcs.(standard)
- Number of ft² in the package (usable): 31.75 ft²/ 79.38 ft²
- Number of ft² in the package (total): 35.95 ft²/ 89.85 ft²

Finishing trims

- All trims are available in the colours of the Fronto panels
- Length of the trims: $120 \frac{5}{64}$

Trims SV(P) - 12, 12.5, 12V, 14, 16.5, 17, 18, 19


- number of pcs. in a package: 5 pcs.
- number of ft in a package: 50.04 ft

Trims SV(P) – 11, 11.5, 15


- number of pcs. in a package: 10 pcs.
- number of lm in a package: 98.59 ft




SV 11
Starting trim




SV 11.5
Bottom ventilation trim




SV(P) 15
J-trim




SV(P) 14
Finishing trim




SV(P) 12
Outside corner




SV(P) 12.5
Outside corner mini




SV(P) 12 V
Outside corner for vertical installation




SV(P) 18
Connector




SV(P) 16.5
Drip edge



SV 17
Facade flashing small



SV(P) 19
Facade flashing large





Superior Quality Delivered With Dedication

384 Ryders Ln
Milltown, NJ 08850
(609) 212-0246

2930 SW 30th Ave, Unit A/B
Pembrke Park, FL 33009
(754) 297-5885

sales@doorsandbeyond.com

